ANTIFUNGAL- miconazole nitrate cream Cardinal Health

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Antifungal Cream

Drug Facts

Active ingredient

Miconazole nitrate USP 2%

Purpose

Antifungal

Uses

- effective in the treatment of most athlete's foot (tinea pedis), jock itch (tinea cruris), and ringworm (tinea corporis)
- for effective relief of itching, scaling, burning and discomfort that can accompany these conditions.

Warnings

For external use only

Do not use on children less than 2 years of age unless directed by a doctor

When using this product avoid contact with eyes

Stop use and ask a doctor if

- irritation occurs
- condition persists
- there is no improvement of athlete's foot or ringworm within 4 weeks or jock itch within 2 weeks.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions

- clean the affected area and dry thoroughly
- apply a thin layer of the product over affected area twice daily (morning and night) or as directed by a doctor
- supervise children in the use of this product
- For athlete's foot: pay special attention to spaces between the toes; wear well-fitting, ventilated shoes, and change shoes and socks at least once daily
- For athlete's foot and ringworm: use daily for 4 weeks.
- For jock itch: use daily for 2 weeks
- not effective on the scalp or nails

Other information

• TAMPER EVIDENT: DO NOT USE IF THE SEAL ON THE TUBE IS PUNCTURED OR NOT VISIBLE

- To open: unscrew cap, use pointed end on cap to puncture seal
- store at 20° to 25°C (68° to 77°F)
- see carton or tube crimp for lot number and expiration date

Inactive ingredients

benzoic acid (0.20%) as a preservative, butylated hydroxytoluene, mineral oil, oleoyl polyoxylglyceride, PEG-6-32 stearate/glycol stearate, and purified water

Questions?

Call 1-866-923-4914

DISTRIBUTED BY CARDINAL HEALTH DUBLIN, OHIO 43017

PRINCIPAL DISPLAY PANEL - 30 g Tube Carton

Cures Most Athlete's Foot, Jock Itch and Ringworm Relieves Itching & Burning

Antifungal Cream Miconazole Nitrate Cream USP, 2% | Antifungal

COMPARE TO MICATIN® active ingredient*

100% Money Back Guarantee

NET WT 1 OZ (30 g)

NDC 70000-0040-1



Antifungal Cream

Miconazole Nitrate Cream USP, 2% | Antifungal

Cures Most Athlete's Foot. Jock Itch and Ringworm Relieves Itching & Burning

Antifungal Cream Miconazole Nitrate Cream USP, 2% | Antifungal COMPARE TO MICATIN[®] active ingredient*

100% Money Back Guarantee

NET WT 1 OZ (30 g)


REV. 2/20



DISTRIBUTED BY CARDINAL HEALTH DUBLIN, OHIO 43017 www.myleader.com 1-800-200-6313 Essential to Care™ since 1979 Made in Canada

*This product is not manufactured or distributed by Johnson & Johnson Corporation, owner of the registered trademark Micatin®.

@2020 Cardinal Health, All Rights Reserved, CARDINAL HEALTH, the Cardinal Health LOGO, ESSENTIAL TO CARE, LEADER, and the Leader LOGO are trademarks or registered trademarks of Cardinal Health. All other marks are the property of their respective owners.



Return to place of purchase if not satisfied


PEG-6-32 stearate/glycol stearate, and purified water. **inactive ingredients** benzoic acid (0.20%) as a preservative, butylated hydroxytoluene, mineral oil, oleoyl polyoxylglyceride,

- see carton or tube crimp for lot number and expiration date
- To oben: nusc.ew csb, use pointed end on csp to puncture seal store at 20° to 25°C (68° to 77°F)

OTHEY INTOLMATION • TAMPER EVIDENT: DO NOT USE IF THE SEAL ON THE TUBE IS PUNCTURED OR NOT VISIBLE

use daily for 4 weeks. • For jock itch: use daily for 2 weeks. • not effective on the scalp or nails permeen the roes; mear well-titting, ventilated shoes, and change and socks at least once daily . For athlete's foot and ringmorm: suq uiğlyi) or sa qirected by a doctor · anbervise children in the use of this product · For athlete's foot; pay special attention to spaces DIRECTIONS • clean the attected area and dry thoroughly • apply a thin layer of the broduct over affected area twice daily (morning

Keep out of reach of chilldren. If swallowed, get medical help or contact a Poison Control Center right away (1-800-222-1222).



LEADER

Drug Facts

Active ingredient Active ingredient %S 92 2%.
Miconazole nitrate USP 2%


effective in the treatment of most athlete's foot (tinea pedis), jock itch (tinea cruris), and ringworm (tinea corporis)
 for effective relief of itching, scaling, burning and discomfort that can accompany these conditions.

Warnings For external use only

Do not use on children less than 2 years of age unless directed by a doctor When using this product avoid contact with eyes

Stop use and ask a doctor if • irritation occurs • condition persists

• There is no improvement of athlete's foot or rindown within & weeks or inck itch within 9 weeks



ANTIFUNGAL

miconazole nitrate cream

P	ro	ď	u	ct	Inf	or	ma	tio	n

Product TypeHUMAN OTC DRUGItem Code (Source)NDC:70000-0040

Route of Administration TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Miconazole Nitrate (UNII: VW4H1CYW1K) (Miconazole - UNII:7NNO0D7S5M)	Miconazole Nitrate	20 mg in 1 g

Inactive Ingredients				
Ingredient Name	Strength			
benzoic acid (UNII: 8SKN0B0MIM)				
butylated hydroxytoluene (UNII: 1P9 D0 Z171K)				
glycol stearate (UNII: 0324G66D0E)				

mineral oil (UNII: T5L8T28FGP)

water (UNII: 059QF0KO0R)	
--------------------------	--

l	Packaging						
	# Item Code	Package Description	Marketing Start Date	Marketing End Date			
l	1 NDC:70000-0040-1	1 in 1 CARTON	02/12/2020				
	1	30 g in 1 TUBE; Type 0: Not a Combination Product					

Marketing Information					
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date		
OTC MONOGRAPH FINAL	part333C	10/01/1991			

Labeler - Cardinal Health (097537435)

Revised: 2/2020 Cardinal Health